App. F. IX-4

Previous References. 1946-47 (ES-7)

File No. 2/-46
Serial Nos. 7-8.

Later References.

PRESERVED

GENERAL AND REVENUE SECRETARIAT

Serial Nos. Two.

Part B for June 47.

SUBJECT

Conveyance Allowance.

No. Sw. 8780 dated 25-6-47.

To The C.E. Engr. Irrn.

States that the proposal to raise the — attached to the post of the Meter Inspector K.G.F. Water works from Rs 85- to Rs 157- is not acceptable.

General and Revenue Secretariat | File No. | of 191 ..

Serial No.

Letter No 6414/E dated 14-3-1947 from the Chief Engineer for Irrigation.

Requests, in the circumstances reported, sanction to the C.A. attached to the post of Meter Inspector, Champion Reef, K.G.F Water Works, being raised from Rs 8/- to Rs 15/-.

The above proposal of the C.E. was submitted once in February 1946; but the same was not accepted by Govt. on the ground that the C.A. is meant for keeping a conveyance and that for a bicycle Rs 8/- is quite enough. Please vide para 6 of the notes in the Collection put up.

2. The C.E. again recommends the enhancement of the C.A. on the ground that all Meter Inspectors at Mysore and Bangalore are in receipt of a C.A. of Rs 15/- each and that the duties of the Meter Inspector at K.G.F are in no way less than those of the other meter Inspectors.

3. The proposal is for orders with financial concurrence.

FIN. 6712-7 28/3 BANGALORE

B 26/3/47.

Dirs 26/3/47.

The C.E. recommends the enhancement of C.A. from Rs 8/- to Rs. 15/- on the grounds detailed in para 2 supra. The K.G.F. Sanitary Board has agreed to pay the quota. As this would help the Departmental transfers, the proposal of the C.E. may perhaps be approved.

Secy.) HPS

NOTE– Contn. Sheet

Serial No.

The chief Engineer proposes to have a uniform conveyance of Rs 15 to meter inspectors may be approved. The Sanitary board have also agreed to pay their quota for the increase

To Minister for Pby and P.H through Fin Secy

Pby 27.3.47

HPS 27.3.47

But for merely keeping a bicycle why should the C.A be enhanced to Rs 15/- If the other meter inspectors also merely maintain cycles the obvious thing to do would be to reduce their C.A also to what is admissible under the M.S.R. This would secure the desired uniformity and be also agreeable to the rules and avoid heartburning in other departments.

29.3.47

6712

No mention of this has been made in any of the references from C.E. How this has crept in inquire from the C.E.? Pby

To Chief Engineer for Irrigation with Complements for remarks. No mention has been made any where about the kind of conveyance used. by the insp. etc

THE CHIEF ENG. FOR IRRIGATION BANGALORE 2558 5-4-1947

Pby 11/4/47

HPS 1.4.47

SECRETARY TO GOVERNMENT Rec'd 1/5 P.W.D. ELECTL & RYS.

No. 7792/ED/30 W

The reasons for increasing Rs 8 to Rs 15/- have been explained in my Ltr dated 14.3.47. I have no further remarks to offer

FINANCE U.O.No. El 7121 2/5 BANGALORE 8/5

Secy PWD

with Compts 30/4/47

Fin Secy

w/l Complement

Pby 1.5.47

HPS 1.5.47

WD 05288—GPB—15,000—8-1-47

General and Revenue Secretariat | File No. 4881 PW of 191 .

Serial No.

no. 7621 H

The quantum of allowance should depend on the nature of conveyance maintained. The Finance Department in Official Memorandum No.Fl.2086-13/S&A. 53-46-2 dated 17th October 1946 has laid down certain general principles in the matter of fixing the rates of conveyance and fixed travelling allowances. For cycles the rates suggested are Rs. 7-8-0 in the Cities of Mysore and Bangalore and Rs. 5/- in other places.

B.

The rate of C.A. for all the officials and Officers of the Public Works Department may be revised as indicated in the above Official Memorandum. The

A

remarks of the Public Works Secretariat on the above Official Memorandum have also not been received.

P.W. Secy wre) 6.5.47.

If the rates are to be revised as indicated in the ~~ad~~ official memorandum referred to by the Financial Secy, ~~will~~ the Chief Engineer proposal cannot be accepted. Regarding A, the file will be put and fur the action will be taken as this refers to the period of oct. 1946. ~~Pending further orders on~~ The existing order ~~only~~ can only be given effect to and ~~as~~ the Chief Engineer may perhaps, be intimated that no fresh grounds for increase of C.A have been put ~~and that~~ the up to ~~to~~ revise the last order already passed on the same subject.

Minister for Ag and P.W)

8.5.47

HPS 8.5.47

OFFICE OF THE MINISTER FOR AGRICULTURE AND PUBLIC WORKS - 9 MAY 1947 No. 8624

NOTE- Contn. Sheet

File No. 4881/PW of 194

General and Revenue Secretariat

Serial No. 8624

Action may be taken as indicated by the Financial Secy at B.

K. 10/5/47.

OFFICE OF THE MINISTER FOR AGRICULTURE AND PUBLIC WORKS
15 1947
8899

The replies from the Chief Engineer on the official memorandum from the Fin Secy as noted have been received and the same have been forwarded to the financial Secretary; for his further remarks and orders of Government will be got after the receipt of file from the financial Secy with his observations on the proposals of the C.E.

Meanwhile, the Chief Engineer may perhaps be intimated, in this case, that the increase proposed by him, cannot be accepted as approved as opined by the Fin. Secy

Minister for Hg and P.W

BJC 13.5.47

HPS 13.5.47

K. 20/5/47.

HPS 22.5.47

Submitted with a draft.

B 29/5/47.

Issue

HPS 29.5.47

Bdz 1/6/47.

K 1/6/47

No. PW 8789/FS dated 25.6.47 to the Chief Engr. Hqrs.

Status - Rate - The proposal to - Leave the Board - Conveyance allowance attached to the Asst Inspector of Works - Hqrs from Rs 80/- to Rs 150/- co not acceptable

WDL05288—BPB—15,000—8-1-47

Est 26-46-7

4881

1873

Office of the Chief Engineer for
Irrigation in Mysore,
Dated Bangalore, 13th March 1947.

No. 6414/E

14-3-1947

To
The Secretary to Government,
Public Works Department,
Bangalore.

Sir,

Conveyance Allowance to the Meter Inspector at Ch
Reef, K.G.F.Water Works.

HPS
17.3.47

With reference to your letter No.P.W.6140/Est. 30-
11-3-1946, stating that the proposal to increase the co
allowance to the Meter Inspector at Champion Reef from R
Rs.15/- is not acceptable to Government, I have the honou
that all the Meter Inspectors of Mysore and Bangalore ar
of a C.A. of Rs.15/- and that the reduced C.A. to the Met
at K.G.F. stands in the way of making departmental transf
interest of Government work. The duties of the Meter Ins
K.G.F. are in no way less than that of the other Meter In
considering the factor distance etc. The number of meter
water connections is increasing at K.G.F. which necessitat
inspections. In these circumstances, I recommend that the
of the conveyance allowance attached to the post of Meter I
at K.G.F. may be raised from Rs.8/- to Rs.15/-. This will no
afford some financial assistance to the individuals concern
will be stationed in a very costly place like K.G.F., but a
facilitate departmental transfers which are quite necessary
interest of Government work.

2. I may also mention in this connection that the K.G.F.San
Board has agreed to pay their quota of the increased conveyanc
allowance.

I have the honour to be,
Sir,
Your most obedient servant,

M Narasimha

GCS/13th. CHIEF ENGINEER FOR IRRIGATION.

(80) pw 4

Appendix F. G.—1]

SUBJECT Conveyance allowance to the Rest Inspector at Champion Reef — K.G.F. Water Works

Section E&T.
File No. 21-46
Serial No. 8

Diary No. of letter replied to.....

No. P.W. 8980/E

General and Revenue Secretariat

( )

the 194 .

To. 25/6/47:

The Chief Engineer for Irrigation
Bangalore.

Date of issue 25-6-47

Signed by M. BSN.

Sir,

With reference to your letter No 6414/E dated 14-3-1947 recommending that the Conveyance allowance attached to the post of Rest Inspector, K.G.F. Water Works may be raised from Rs 8/- to Rs 15/-, I am directed to state that the proposal is not acceptable to Govt.

I have

BSN 1/6/42 — HPS 29.5.47

Secy to Govt PW Dept

List of enclosures.....

Copied by.....

Examined by.....

WD 02745—GPB—25,000—24-6-46

29/5/47. 29/5